

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO. FILING D.	ATE FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.]	
09/955,672 09/19/20	001 Kevin M. Moore	ADM-0003-00	1250	•	
7590 0	3/04/2003				
Michael E. Yates Archer Daniels Midland Company 4666 East Faries Parkway		EXAM	EXAMINER		
		OH, TAYLOR V		1/2	
Decatur, IL 62526		, DT INUT		rina T	
		ART UNIT	PAPER NUMBER	j .	
	1625				
		DATE MAILED: 03/04/2003	3	,	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	,	Applicant(s)		
	_	09/955,672		MOORE ET AL.		
	Office Action Summary	Examiner		Art Unit		
		Taylor Victor Oh		1625		
Period fo	The MAILING DATE of this communication ap r Reply		sheet with the co	orrespondence address		
THE I - Exter after - If the - If NO - Failur - Any r	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. sions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a repperiod for reply is specified above, the maximum statutory period to reply within the set or extended period for reply will, by statutely received by the Office later than three months after the mailing dipatent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however ly within the statutory minim will apply and will expire Size.	er, may a reply be time rum of thirty (30) days X (6) MONTHS from the ecome ABANDONFD	ely filed will be considered timely, he mailing date of this communication.		
1)🖂	Responsive to communication(s) filed on 01	November 2002 .				
2a) <u></u>		nis action is non-fina	al.			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims						
4)⊠	Claim(s) 1-33 is/are pending in the application	n. ,				
•	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠	6)⊠ Claim(s) <u>1-33</u> is/are rejected.					
7) 🔲 .	Claim(s) is/are objected to.					
8)[Claim(s) are subject to restriction and/o	or election requirem	ent.			
	on Papers					
9) 🗌 🗆	The specification is objected to by the Examine	er.				
10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.						
	If approved, corrected drawings are required in re	• •	n.			
12)☐ The oath or declaration is objected to by the Examiner.						
Priority u	nder 35 U.S.C. §§ 119 and 120					
13)[Acknowledgment is made of a claim for foreig	n priority under 35 l	J.S.C. § 119(a)-	-(d) or (f).		
a)[a) ☐ All b) ☐ Some * c) ☐ None of:					
	1. Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents have been received in Application No					
	3. Copies of the certified copies of the prio application from the International Buse the attached detailed Office action for a list	rity documents have reau (PCT Rule 17	e been received .2(a)).	I in this National Stage		
	cknowledgment is made of a claim for domesti					
a)	☐ The translation of the foreign language procknowledgment is made of a claim for domest	visional application	has been rece	ived.		
Attachment		, , , , , , , , , , , , , , , , , , , ,				
2) Notice 3) Inform	of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-948) ation Disclosure Statement(s) (PTO-1449) Paper No(s) 2	5) ∏ N		PTO-413) Paper No(s) stent Application (PTO-152)		
S. Patent and Tra TO-326 (Rev		ction Summary		Part of Paper No. 4		

Art Unit: 1625

Specification

The disclosure is objected to because of the following informalities:

on pages 4, 7, lines 16 and 13, "98DC to about 100DC" and "160DC" are written; on pages 9, 10 lines 5,10,11,22, a symbol "~" is used in front of 2h or 100° C or 5h or 7h.

They are improper. Appropriate correction is required.

Claim Objections

Claims 4, 5, 16, and 17 are objected to because of the following informalities: a term "zeolyte" is used.. Appropriate spelling correction is required.

Claim Rejections - 35 USC § 112

Claims 1,2, 4, 6, 13, 14, 16, 18, and 33 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for an anhydrosugar alcohol, such as, arabinitol, ribittol, D-mannitol, galactitol, iditol, 1,5:3,6-dianhydrohexitols, 1,4:3,6-dianhydrohexitols, D-glucitol, and etc. does not reasonably provide enablement for all the anhydrosugar alcohols known in the field of organic chemistry. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to include all the anhydrosugar alcohols unrelated to the invention commensurate in scope with these claims. Therefore, an appropriate correction is required.

The specification, while being enabling for an acid catalyst, such as sulfuric acid, phosphoric acid, p-toluenesulfonic acid, p-methanesulfonic acid, and etc. does not reasonably provide enablement for all the acid catalysts in the field of organic chemistry. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to include all the acid catalysts unrelated to the invention commensurate in scope with these claims. Furthermore, an acid catalyst composition represent an unpredictable aspect in the art of organic chemistry. See Exparte Sizco, 9 USPQ 2d 2081 (Bd. Of App. And inter. March 1988). Therefore, an appropriate correction is required.

The specification, while being enabling for a soluble acid, such as sulfuric acid, phosphoric acid, p-toluenesulfonic acid, p-methanesulfonic acid, and etc. does not reasonably provide enablement for all the soluble acids in the field of organic chemistry. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to include all the soluble acids unrelated to the invention commensurate in scope with these claims. Therefore, an appropriate correction is required. Furthermore, there are "foreman factors or Wands factors" regarding <u>unpredictability</u> because a soluble acid includes any heterocyclic acid, any aromatic acid, any alicyclic acid, and a diverse scope of acyclic acids. In addition, it does not exclude any bi-functional acid such as a variety of amino acids.

Art Unit: 1625

Moreover, more than routine experimentation is involved. See <u>In re Armbruster 185</u> USPQ 204 (CCPA 1985) and Angstadt et al., 190 USPQ 152 (CCPA 1990).

The specification, while being enabling for a zeolite powder, such as CBV 3024, CBV 5534G, T-2665, or T-4480, and etc. does not reasonably provide enablement for all the a zeolite powder in the field of chemistry. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to include all the zeolite powder unrelated to the invention commensurate in scope with these claims. Therefore, an appropriate correction is required.

The specification, while being enabling for an acidic ion exchange resin, such as AG50W-X12, Amberlyst 15 or 35, or Dowex 50Wx 4, and etc. does not reasonably provide enablement for all the soluble acids in the field of organic chemistry. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to include all the acidic ion exchange resins unrelated to the invention commensurate in scope with these claims. Furthermore, there are the "foreman factors or wands factors" regarding <u>unpredictability</u> because ion-exchange resins include cationic exchangers and anionic exchangers and furthermore, they contain various types of ion-exchange resins such as gel type, porous type, high porous type, liquid type, and solid type. Because of the diverse scopes of their unique compositions and variations of physical structures, their corresponding catalytic activities are unpredictable. Therefore, more than routine experimentation is required and involved (second foremen factor).

Therefore, an appropriate correction is required.

Claims 1,13, and 33 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

A phrase "organic solvents" is written. However, this does not specify what types of solvents are not employed in the process. Therefore, an appropriate correction is required.

A phrase "maintaining --- temperature" is written. However, this does not specify what temperature the dehydrating process is conducted. Therefore, an appropriate correction is required.

A phrase "a slurry-like isosorbide solution" is written. However, this does not explain what is the meaning of "a slurry-like isosorbide solution." Therefore, an appropriate correction is required.

A phrase "35D C" is written. This is vague and there is no meaning of the symbol. Therefore, an appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3 and 10 are rejected under 35 U.S.C. 102(b) as being anticipated clearly by Hartmann (U.S. 3,454,603).

Hartmann discloses a process of preparing 1,4-3,6-dianhydroglucitol by heating hexitols, such as 1,4 D,L-allitan or 1,4 D,L-dulcitan, in the presence of an acid dehydration catalyst, such as sulfuric acid, p-toluenesulfonic acid (see col. 2, lines 25-40), and then distilling the reaction mixture to recover dianhydrohexitols at extremely low pressures (below 1.0 mmHg) (see col. 2, lines 59-61). In addition, the products may be further purified by redistillation (see col. 2, line 69). This is identical with the claims.

Claim Rejections - 35 USC § 103

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 1625

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hartmann (U.S. 3,454,603) in view of Feldmann et al (U.S. 4,564,692) and Brinegar et al (WO 00/14081).

Hartmann discloses a process of preparing 1,4-3,6-dianhydroglucitol by heating hexitols, such as 1,4 D,L-allitan or 1,4 D,L-dulcitan, in the presence of an acid dehydration catalyst, such as sulfuric acid, p-toluenesulfonic acid (see col. 2, lines 25-40) at a temperature of from 110 to 185° C. (see col. 2, lines 49-51), and then distilling the reaction mixture to recover dianhydrohexitols at low pressures of from 0.03 to 100 mmHg (see col. 2, lines 56-61). In addition, the products may be further purified by recrystallization (see col. 2, lines 69-71).

The instant invention differs from Hartmann in that melt crystallizing, filtering, and centrifuging the anhydrosugar alcohol are unspecified; the acidic ion exchange resin is added in an amount of from 0.01 to 0.15 gram equivalents to sugar alcohol; the

Art Unit: 1625

acid catalyst contains a zeolite powder selected from CBV 3024, CBV 5534G, AG50W-X12; the period is from 30 to 45 minutes during the cooling.

Feldmann et al teaches a process of purifying the anhydro sugar alcohols by crystallization from a concentrated solution (see col. 1 ,lines 6-10) in the absence of organic crystallization solvents (see col. 1 ,lines 65-67). Furthermore, all aqueous anhydro sugar alcohol solutions with a suitable concentration have been obtained from acid-catalyzed dehydration of hexitols (see col. 4, lines 9-11) with strongly acidic cationic exchange resins (see col. 4, lines 60-61); the crystalline anhydro sugar alcohols can be separated from the mixture by centrifugation or filtration (see col. 4 lines 25-27). In addition, if the heavy liquors contain two or more different anhydro, sugar alcohols, it is possible to use fractional crystallization in succession in order to produce the pure crystalline form (see col. 4, lines 35-39); also, it is advisable to conduct the crystallization process at a temperature of from 20 to 65° C. (see col. 3 ,lines 18-19).

Concerning the addition of the amount of from 0.01 to 0.15 gram equivalents of resin to sugar alcohol and the cooling period from 30 to 45 minutes, the limitation of a process with respect to ranges of pH, ratio and period does not impart patentability to a process when such values are those which would be determined by one of ordinary skill in the art in achieving optimum operation of the process. Ratio and period are well understood by those of ordinary skill in the art to be result-effective variables, especially

Art Unit: 1625

when attempting to control selectivity of a chemical process in the absence of an unexpected result.

Wit respect to the use of the acid catalyst containing the zeolite power selected from CBV 3024, CBV 5534G, AG50W-X12, the prior art references are silent. However, it is well-known in the art that AG50W-X12 acidic catalyst can be used with an advantage of little or no residue in producing anhydro sugar alcohols as shown in Brinegar et al (see page 7, lines 5-6). Therefore, it would have been obvious to the skilled artisan in the art to have motivated to use the Brinegar et al AG50W-X12 as a substitute. This is because the skilled artisan in the art would expect to improve on the purity of the desired compound by using the AG50W-X12 catalyst in the process.

Hartmann does disclose the process of preparing 1,4-3,6-dianhydroglucitol by heating hexitolsin the presence of sulfuric acid at a temperature of from 110 to 185⁰ C., and then distilling the reaction mixture to recover dianhydrohexitols at low pressures, furthermore, the products may be purified by recrystallization. Also, Feldmann et al expressly teaches the process of purifying the anhydro sugar alcohols obtained from acid-catalyzed dehydration of hexitols by crystallization from a concentrated solution in the absence of organic crystallization solvents; moreover, when sugar alcohols are dehydrated, the reaction mixtures contain various impurities detrimental to the production of polyesters (see col. 1 ,lines 23-30). Therefore, it would have been obvious to the skilled artisan in the art to have motivated to incorporate the Feldmann et al crystallization technique into Hartmann in order to further purify the desired product

Art Unit: 1625

suitable for producing polyesters. This is because the skilled artisan in the art would expect to improve on the purity of the desired compound by applying the Feldmann et al crystallization technique to the Hartmann process.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Salzburg et al (U.S. 4,408,061) teaches a process for preparing 1,4-3,6-dianhydrfo-hexitols by eliminating water in the presence of hydrogen halide without using water and organic solvents at temperatures of up to 300° C. and pressures of up to 250 Bar.

Hartmann (U.S. 3,160,641) teaches a process for purifying 1,4-3,6-dianhydrfo-hexitols by vacuum distillation of the acid catalyzed dehydration product of sorbitol. When sorbitol is dehydrated by heating with sulfuric acid under reduced pressure, isosorbide is isolated. Isosorbide may be recovered from the dehydration mixture by fractional distillation.

Salzburg et al (U.S. 4,506,086) teaches a process for preparing 1,4-3,6-dianhydrfo-hexitols from diacylation products of hexitols and organic compounds, such as carboxylic acids by subjecting them to a temperature of at least 130° C.

Lueders et al (U.S. 4,861,513)) teaches a process for preparing polyalcohol mixture based on sorbitol by heating a reaction mixture containing D-sorbitol in the presence of an acid catalyst at a temperature of form 120 to 160° C.

Art Unit: 1625

Stockburger (U.S. 4,297,290)) teaches a process for preparing sorbitan esters by forming anhydro sorbitol by acid-catalyzed anhydrization, then reacting the resultant anhydro sorbitol with a fatty acid in the presence of a base at a temperature of 215° C.

Page 11

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Taylor Victor Oh whose telephone number is 703-305-0809. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alan Rotman can be reached on 703-308-4698. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-2742 for regular communications and 703-305-7401 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1235.

February 27, 2003

ALAN L. ROTMAN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600

alan L Rotman